



VENDOR W/O #
127712-01

Service Date 9/28/21 09:30 AM
Client PO #
Priority Regular
Order Type Construction
SN Task # PRJTASK7284868

Telaid
13 West Main Street
Niantic, CT 06357
Phone # 800-205-5556 Fax #

Contact Information

SERVICE LOCATION

PARCEL PENDING - Loc # 2358 - TUSCANY VILLAS
1945 E. GARVEY AVE. N.
null
WEST COVINA, CA 91791
Phone # Fax #

VENDOR # 380129

Intellicomm
1048 Chase Creek Ct
Lawrenceville, GA 30044
Phone # 405-802-1262 Fax #

SERVICE DESCRIPTION

Tower Install FIRM ETA

Once on-site please check-in/out with Telaid PC Max Seymour at (440)344 - 5758

Install Locker Towers in Apartment Complexes

-Number of Towers: 1

Using site plan install lockers into desired locations.

Check in to 866-566-4295

1. Access area - if area does not match floor plan - see if you can design a new floor plan on the graph paper provided in your packet)
Contact PM if any discrepancy in floor plan and area
2. Determine where and how you can install angle brackets to secure towers. If plans match you can start marking out the locations for installation.
3. REMEMBER - Do NOT HELP the Delivery Team moving the towers. Contact PM immediately if ANY damage to any of the towers.
The movers must place the towers in the space of the install (16" away from back wall)
4. Inventory all parts needed for tower install as listed in you packet. - Contact PM with any discrepancies
5. Install towers
6. Test configure towers to ensure proper installation
7. LEVEL TOWERS - a height of 1/32" between cabinets is acceptable anything else will be rejected.

Additional documents are the:

Site plan

Install guide

Manufacture/Product specific installation guides

Checklist - Delivery Process

Checklist - Installation Process

Checklist - Closeout Photos Required

| Doc Type | Required Count | Description |
|---------------|----------------|---|
| Deliverable 1 | 1 | Photo of Install Checklist |
| Photo 1 | 1 | Data + power outlets |
| Photo 10 | 1 | Backup Battery |
| Photo 11 | 1 | Triangle bit screwdriver left in screen locker |
| Photo 12 | 1 | showing camera is working |
| Photo 13 | 1 | Key left in locker 1 OR photo of card who key was left with |
| Photo 14 | 1 | Locker map layout (notate on floor plan provided) |



VENDOR W/O #
127712-01

Service Date 9/28/21 09:30 AM
Client PO #
Priority Regular
Order Type Construction
SN Task # PRJTASK7284868

Telaaid
13 West Main Street
Niantic, CT 06357
Phone # 800-205-5556 Fax #

Contact Information

| | | |
|----------|---|--|
| Photo 15 | 1 | Hideaway Key Box (located on roof shelving inside of the screen locker) |
| Photo 2 | 1 | Overview of installation location |
| Photo 3 | 1 | Photos notating any pre-installation damage, i.e. floor damage, wall damage Overview of system (Left, Middle, Right) |
| Photo 4 | 1 | Front of lockers (all locations as applicable) |
| Photo 5 | 2 | Left and right sides of lockers |
| Photo 6 | 1 | L-brackets secured to wall and towers |
| Photo 7 | 1 | Kiosk info screen |
| Photo 8 | 1 | Tower configuration screen |
| Photo 9 | 1 | Network status screen |



SIGN OFF SHEET

Service Date 9/28/21 09:30 AM

VENDOR W/O #

Client PO #

127712-01

Priority Regular

Order Type Construction

SN Task # PRJTASK7284868

Telaid
13 West Main Street
Niantic, CT 06357
Phone # 800-205-5556 Fax #

SERVICE LOCATION

PARCEL PENDING - Loc # 2358 - TUSCANY VILLAS
1945 E. GARVEY AVE. N.
null
WEST COVINA, CA 91791
Phone # Fax #

IVR Pin #

55935560



SERVICE DESCRIPTION

Tower Install FIRM ETA

Once on-site please check-in/out with Telaid PC Max Seymour at (440)344 - 5758

Install Locker Towers in Apartment Complexes

-Number of Towers: 1

Using site plan install lockers into desired locations.

Check in to 866-566-4295

1. Access area - if area does not match floor plan - see if you can design a new floor plan on the graph paper provided in your packet)
Contact PM if any discrepancy in floor plan and area
2. Determine where and how you can install angle brackets to secure towers. If plans match you can start marking out the locations for installation.
3. REMEMBER - Do NOT HELP the Delivery Team moving the towers. Contact PM immediately if ANY damage to any of the towers.
The movers must place the towers in the space of the install (16" away from back wall)
4. Inventory all parts needed for tower install as listed in you packet. - Contact PM with any discrepancies
5. Install towers
6. Test configure towers to ensure proper installation
7. LEVEL TOWERS - a height of 1/32" between cabinets is acceptable anything else will be rejected.

Additional documents are the:

Site plan

Install guide

Manufacture/Product specific installation guides

Checklist - Delivery Process

Checklist - Installation Process

Checklist - Closeout Photos Required

Store Manager's Signature

Print Name

Date

Time In

Time Out