

SR16738193

##H2EEA2992##

**ShopperTrak**170 Chastain Meadows Ct  
Kennesaw, GA 30144

CTN3106043

**Service Request**

SR16738193

Rev 0

**ShopperTrak Helpdesk #: 800-493-0016****SR Type: Production - Orbit 8 Installation (US)**

Dispatch Type: (TM)

Reference Number: S80187667

End User Reference: XH8GZ

Date: 07/16/2021

Window: 10:00 to 12:00 EDT

Expected Duration: 271

PO#: T01380385

Site Contact: Rohit 631-276-5047

Phone: 718-998-5200

Alt. Phone:

Company: Cellular Wholesale Services

Address: 1921 Kings Hwy

City: Brooklyn

State: NY

Zip: 11229

TAC: 404.536.4721 (AT&amp;T) | 678.332.8358 (Verizon) | 678.460.2530 (Other)

**SR DETAILS****ShopperTrak Ticket Requester:** elocsin**ShopperTrak Rep Phone Number:** Unknown**Ceiling Height:** 9 FT**What size ladder is required?:** 10ft A Frame (Default)**Pre-Cabled:** No**Number of Orbits:** 1**Mounting Type:** unknown**Orbit Type:** orbit 8**DESCRIPTION OF WORK**

Production - Orbit 8 Installation (US)

**SR CHECKLIST**

1. Call Genesis +1.800.493.0016 to log onsite
2. Refer to the attached install guide for specific installation instructions.
3. Verify all installation areas are clean and that you properly dispose of all trash.
4. Please submit all deliverables
5. Leave site.
6. Submit all Post Visit Completion (PVC) tasks within 24 hours of logging off site.

**To be completed by the Field Engineer (FE): 35357**

<b>Call Result:</b> <input type="checkbox"/> Successful <input type="checkbox"/> Incomplete	<b>Incomplete Reason:</b>	<b>Installed Equipment:</b> Make/Model: _____ Serial Number: _____ _____ _____ _____ _____
<b>Materials Used:</b> Description: _____ Qty: _____ _____ _____ _____ _____ _____	<b>Required for all calls:</b> Time at Log-on: _____:_____ EDT Time at Log-off: _____:_____ EDT Customer Helldesk Rep. Name: _____ Customer Call Closure Code: _____ Onepath TAC Rep. Name: _____ Onepath TAC Closure Code: _____	<b>RMA Equipment:</b> Make/Model: _____ Serial Number: _____ _____ _____ _____ _____
FE Initials: _____	End-User Name (Please Print): _____ Title: _____	End-User Signature: _____ Date: _____

SR16738193

##H2EEA2992##

**Description:** This dispatch is to install a number of orbits devices and network equipment for Shopper Trak. Follow the installation guide and work with Genesis TAC to perform testing.

**Required Tools:** Standard Telco + 10ft ladder

**Required Materials:** Standard Telco

**Required Skills:** Network and Cabling

**RMA Handling:** For unused or defective ShopperTrak provided gear: If there was a return label provided with the equipment, DISCARD IT. All returns will follow the call tag process. Record the make/model/serial of any unused or defective equipment on the Equipment Return Form and package the device(s) in the box the new gear came in. Seal the box so it is ready for shipment and ask the MOD to keep in a safe place. Advise the MOD that FedEx will be onsite in 1-5 business days with their own return label - all the MOD has to do is hand FedEx the box. Ask the MOD sign the equipment return form, acknowledging receipt of the return gear and their understanding of the return process. Upload a photo of the signed equipment return form to myESP.

**FE Overage Threshold:** 3 hours

---

Description: New installation.

Orbit Type & Connectivity: Orbit 8 - IP

Store Open: Y

Date Requested: ASAP 7/15 to 7/19

Time Requested: 00:00 AM/PM

IT Contact (for trouble shooting):

Notes: EQP delivery scheduled for 7/13. Please confirm EQP is on site, ceiling is installed, permanent network is active (not LTE, 5G or hotspot), network equipment (router, modem, switch) installed and which port we should be plugged into. Please have tech run the cabling and label the HR cable for ShopperTrak at both ends. Please have tech confirm MAC addresses and confirm that Orbits are powering up. Please confirm with Rohit 631-276-5047 rohitthakur1921@gmail.com

G.C. or Construction Contact:

Ceiling Type:

Ceiling Height: 8ft8in

Pre-Cabled: No

# of Orbits: 1

Provision Mode: Single Site Connectivity

Special Instructions: 1 - 2.1 Wht Orbit 8

---

**Equipment:**



March 11, 2021

Re: COVID 19 - City/County/State/Federal Orders

To whom it may concern:

Please be informed that the bearer of this letter is subcontracted by Genesis Networks, a communications and information technology company providing essential critical infrastructure as outlined by the Cybersecurity and Infrastructure Security Agency (CISA); an agency operating under the Department of Homeland Security.

Under CISA guidelines, these workers must be able to travel to and gain access to infrastructure facilities and offices during curfews and restricted travel periods. CISA identifies the following list as essential to continued critical infrastructure:

**Communications:**

- Maintenance of communications infrastructure- including privately owned and maintained communication systems- supported by technicians, operators, call-centers, wireline and wireless providers, cable service providers, satellite operations, undersea cable landing stations, Internet Exchange Points, and manufacturers and distributors of communications equipment
- Workers who support radio, television, and media service, including, but not limited to front line news reporters, studio, and technicians for newsgathering and reporting
- Workers at Independent System Operators and Regional Transmission Organizations, and Network Operations staff, engineers and/or technicians to manage the network or operate facilities
- Engineers, technicians and associated personnel responsible for infrastructure construction and restoration, including contractors for construction and engineering of fiber optic cables
- Installation, maintenance and repair technicians that establish, support or repair service as needed
- Central office personnel to maintain and operate central office, data centers, and other network office facilities
- Customer service and support staff, including managed and professional services as well as remote providers of support to transitioning employees to set up and maintain home offices, who interface with customers to manage or support service environments and security issues, including payroll, billing, fraud, and troubleshooting
- Dispatchers involved with service repair and restoration



### **Information Technology:**

- Workers who support command centers, including, but not limited to Network Operations Command Center, Broadcast Operations Control Center and Security Operations Command Center
- Data center operators, including system administrators, HVAC & electrical engineers, security personnel, IT managers, data transfer solutions engineers, software and hardware engineers, and database administrators
- Client service centers, field engineers, and other technicians supporting critical infrastructure, as well as manufacturers and supply chain vendors that provide hardware and software, and information technology equipment (to include microelectronics and semiconductors) for critical infrastructure
- Workers responding to cyber incidents involving critical infrastructure, including medical facilities, SLTT governments and federal facilities, energy and utilities, and banks and financial institutions, and other critical infrastructure categories and personnel
- Workers supporting the provision of essential global, national and local infrastructure for computing services (incl. cloud computing services), business infrastructure, web-based services, and critical manufacturing
- Workers supporting communications systems and information technology used by law enforcement, public safety, medical, energy and other critical industries
- Support required for continuity of services, including janitorial/cleaning personnel

All persons performing critical operations have been instructed to comply with hygiene and social distancing requirements as established by the Centers for Disease Control and Prevention.

Please do not hesitate to contact me should you have any questions regarding this letter or our operations.

Sincerely,

A handwritten signature in black ink, appearing to read "Bryan Hann", written in a cursive style.

Bryan Hann

Area Vice President – Deployed Services, Genesis Networks





Cybersecurity & Infrastructure  
Security Agency  
Washington, DC 20528

May 27, 2020

To Whom It May Concern:

The U.S. Department of Homeland Security (DHS) Cybersecurity and Infrastructure Security Agency (CISA) issues this letter to facilitate work in the interest of homeland security by Communications Sector workers identified in the CISA Essential Critical Infrastructure Workers advisory guidance, dated May 19, 2020.<sup>1</sup> CISA requests any courtesy that can be extended to essential workers involved in communications infrastructure operations, maintenance and restoration **in response to the COVID-19 Pandemic and any other regional disasters (e.g., hurricanes, tornadoes, wildfires, earthquakes) that may occur during any COVID-19 response phase.**

CISA developed the **Essential Critical Infrastructure Workers** advisory guidance identifying workers that conduct a range of operations and services deemed essential to continued critical infrastructure viability. This list is intended to support State, local, tribal, and territorial officials' decision-making as they work to protect their communities, while ensuring continuity of functions critical to public health and safety, as well as economic and national security.

In developing this advisory guidance, CISA determined that essential workers need access to jobsites based on our judgment that organizations affiliated with the Communications Sector engage in activity that could reasonably be included within the scope of "critical infrastructure" as that term is defined in law; and critical communications infrastructure is necessary to ensure first responder, emergency responder, and 911 communications capabilities are functional during this response and recovery period. In the course of providing this support, identified Essential Critical Infrastructure Workers in the Communications Sector should be able to travel to and access necessary critical infrastructure facilities in order to prevent loss of service or restore critical communications services.

CISA greatly appreciates your cooperation. For any questions or concerns related to this request, please contact the CISA at 888-282-0870 or [CISAservicedesk@cisa.dhs.gov](mailto:CISAservicedesk@cisa.dhs.gov).

Sincerely,

Christopher C. Krebs  
Director  
Cybersecurity and Infrastructure Security Agency (CISA)

---

<sup>1</sup> "Guidance on the Essential Critical Infrastructure Workforce," Cybersecurity and Infrastructure Security Agency, <https://www.cisa.gov/publication/guidance-essential-critical-infrastructure-workforce>.

# ShopperTrak

## Field Engineer- Please Read

### Covid-19 Procedures and PPE Requirements

As the US starts to re-open, many ShopperTrak customers have asked that ShopperTrak Field Engineers agree to certain safety requirements as a condition for scheduling ShopperTrak installations or break-fix visits. The requirements are summarized below:

1. Field Engineers are **required to wear face coverings and gloves at all times** when entering, working in, or exiting stores.
  - a. This can include any of the following based on CDC guidelines: **reusable or disposable masks**.
  - b. <https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/diy-cloth-face-coverings.html>
2. Field Engineers are **required to maintain social distancing** while in stores and follow all posted instructions for customer queuing/metering.
3. **CALL TAC IF THIS APPLIES BEFORE GOING TO SITE:** Field Engineers should refrain from visiting stores if they have a fever of 100.4 F (37.94 C) or higher, or have exhibited any symptoms of COVID-19 within 14 days of the scheduled visit, (ex: fever, cough, shortness of breath or difficulty breathing, chills, repeated shaking with chills, muscle pain, headache, sore throat, new loss of taste or smell).
  - a. Or if in the last 14 days, they have been out of the country, traveled by plane/cruise ship or been to areas known to have high concentrations of COVID-19 infections, or been in close contact with a person(s) with a positive or presumed positive COVID-19 case.
4. If a Field Engineer is diagnosed with COVID-19 or shown symptoms of COVID-19 within 2 weeks of visiting a store, **inform TAC of the diagnosis**.

## What is an Orbit?

---




Orbit 5 Device

- A small sensor installed above each entrance that measures foot traffic in a site
- Collects traffic data and transmits the data to ShopperTrak via internet connectivity
- The traffic data is remotely collected, processed, and delivered into web-based reports or data extracts for daily review
- At least one Orbit sensor is necessary above each customer entrance, but more may be required depending on the width of the entrance and height of the ceiling
- The Orbit has two lenses that allow it to count three dimensionally
- Anything below 4ft is not counted (ex. strollers, carts, and small children)


## How Does the Orbit Count?

---

- Each Orbit is configured with parameters and zones customized for each entrance
- Parameters are used to define object height, lighting conditions, and other conditions that vary by location
- Each configuration consists of three zones:
  - Green – Initial zone customers cross when entering the site
  - Red – Secondary zone that surrounds the green zone
  - Blue – Encompasses green and red zone; Command the Orbit to ignore everything outside the green and red zones.
- Enters: Movement from the green zone through the red zone is counted as an Enter
- Exits: Movement from the red zone through the green zone is counted as an Exit
- People who move across the red zone will not generate counts
- Employees will be counted if they use a monitored entrance (counts are minimal and do not impact traffic or conversion by a noticeable amount)



Successful 'Enters'



Successful 'Exits'

## The ST600 Device

---



- The ST600 is placed in the network area near a 24-hour power source and connected to the data switch
- Provides communication between the Orbit and the network
- Has 3-4 cables connected to its ports
  - PWR – Holds the power supply cable
  - LAN – Holds the network cable
  - In – Holds the cable that leads to the Orbit
  - Out – Holds a second cable if there are multiple Orbits
- LED light by the In and Out ports should remain green, a sign that there's connectivity to the device

## ShopperTrak Contacts

---

If you have questions or concerns, please contact:

- ShopperTrak Orders for new, remodel, relocation installations at [orders@shoppertrak.com](mailto:orders@shoppertrak.com)
- ShopperTrak Support for issues related to an existing location at [support@shoppertrak.com](mailto:support@shoppertrak.com)



To Whom It May Concern:

This technician is at your location on behalf of ShopperTrak to survey for, install, or service your ShopperTrak traffic counter solution equipment.

**Survey**

The survey is anticipated to take 1 hour and may occur during operating business hours. The ShopperTrak technician will be taking store specific measurements and pictures that will not disrupt operations.

**Installation**

The installation typically takes 3 hours to complete but could last longer depending on the complexity of the install. The ShopperTrak technician will need access to your ceiling and backroom network hardware.

**Service**

Equipment may need to be serviced for various reasons including but not limited to loss of connectivity and equipment replacement. The ShopperTrak technician may need access to your ceiling and/or backroom network hardware.

If there are any questions or concerns, please send an email to [Orders@shoppertrak.com](mailto:Orders@shoppertrak.com) with your store name and address included.

Thank you for your cooperation.

Sincerely,

ShopperTrak Traffic Insights



# ShopperTrak

## Orbit 8

### Installation Guide

© 2018

# Contents

<b>Introduction .....</b>	<b>3</b>
<b>About the Orbit 8.....</b>	<b>3</b>
<b>Installation requirements .....</b>	<b>3</b>
Tools and parts requirements .....	3
Cable specifications .....	3
Orbit 8 installation kit.....	4
Orbit 8 unit numbering.....	4
<b>Installing the Orbit 8 .....</b>	<b>4</b>
Procedure 1: Preparing the cables for the Orbit 8 .....	4
Procedure 2: Mounting the Orbit 8.....	5
Determining the appropriate Orbit 8 for the location .....	5
Positioning the Orbit 8 .....	5
Surface mounting the Orbit 8.....	7
Optional: Oblique mounting the Orbit 8 .....	9
Procedure 3: Connecting the Orbit 8 to the ShopperTrak host.....	9
Connecting to a client-installed PoE switch.....	9
Connecting to a PoE switch that ShopperTrak provides.....	9
Connecting to a non-PoE switch .....	10
Procedure 4: Testing the functionality of the Orbit 8.....	10
Procedure 5: Preparing the Orbit 8 for configuration .....	12
Procedure 6: Testing the accuracy of the Orbit 8 .....	14
Pattern 1 .....	14
Pattern 2 .....	14
Pattern 3 .....	15
Pattern 4 .....	15
<b>Appendix A: Technical specifications .....</b>	<b>16</b>
<b>Appendix B: Declarations.....</b>	<b>17</b>
Regulatory information .....	17
Nondisclosure statement.....	17
Other declarations .....	18
<b>Installation checklist.....</b>	<b>19</b>

## Introduction

This guide explains how to install the Orbit 8 traffic counting device. The following documents provide additional information:

- *Orbit 8 Field of View Chart, Reference Guide, 6200-0050-13*
- *Orbit 8 Installation, Quick Start Guide, 6200-0050-14*
- *Orbit 8 Provisioning, Setup Guide, 6200-0050-18*

For additional information, contact your regional support office.

## About the Orbit 8

The Orbit 8 is a traffic counting device that monitors movement by tracking objects through an area, and identifying enter and exit paths for each shopper. The device mounts overhead with support for oblique views, and automatically connects to ShopperTrak servers for remote device management upon connecting to the public internet.

## Installation requirements

This section contains information about preparing for the installation of the Orbit 8.

**Note:** Ensure that you have the necessary equipment and tools for the installation.

## Tools and parts requirements

To install the Orbit 8, you require the following tools and parts:

- Drill
- Wire strippers
- Wire cutters
- Pliers
- Screwdrivers
- 8 foot or 2.4 meter ladder
- Tape measure
- Level
- Wire ties
- RJ45 crimp tool
- RJ45 male modular connectors
- Cable pair tester
- Power over Ethernet (PoE) tester or voltmeter

## Cable specifications

To connect the Orbit 8 to the network switch, use a solid plenum rated Cat 5e or Cat 6 cable that adheres to Ethernet standards, 4 pairs, 24 AWG, 110 Ohms, CL2. The maximum cable length to a single Orbit 8 is 330 feet or 100 meters. You can extend the cable length if you use PoE repeaters.

**Note:** Ensure that you bring the Cat 5e or Cat 6 cable with you unless the project plan documents specify that the cable is preinstalled at the customer location. Use a Cat 5 cable only if it is pre-existing at the customer location.

## Orbit 8 installation kit

The installation kit for the Orbit 8 contains the following items:

- Orbit 8 device
- Orbit 8 mounting bracket
- Calibration strip
- Three drywall anchors
- 10 feet or 3.05 meters of purple patch cable

### Orbit 8 unit numbering

Each Orbit 8 has a unit number. If you are installing one Orbit 8 device at a store, its unit number is 01. If you are installing several Orbit 8 devices, the unit numbers are 01, 02, 03, and so on. Orbit 8 unit numbers are unique within each store. You can install only one Orbit 8 device with each unit number in a particular store.

Before you begin the installation, verify that the Orbit 8 unit numbers are correct for the installation site.

## Installing the Orbit 8

This section outlines the following six procedures to complete when you are installing the Orbit 8:

- Procedure 1: Preparing the cables for the Orbit 8
- Procedure 2: Mounting the Orbit 8
- Procedure 3: Connecting the Orbit 8 to the ShopperTrak host
- Procedure 4: Testing the functionality of the Orbit 8
- Procedure 5: Preparing the Orbit 8 for configuration
- Procedure 6: Testing the accuracy of the Orbit 8

### Procedure 1: Preparing the cables for the Orbit 8

Each Orbit 8 device requires a dedicated Cat 5e or Cat 6 cable that runs from the ShopperTrak host to the mounting locations.

**Important:** Do not use a Cat 5e or Cat 6 cable that is longer than 330 feet or 100 meters to connect an Orbit 8 to the ShopperTrak Host.

To prepare the cables for the Orbit 8, complete the following steps:

1. Route the cable for each Orbit 8 from the entrance or doorway to the network switch.
2. Terminate both ends of each Cat 5e or Cat 6 cable using male RJ45 modular connectors. Terminate following the T568-B standard, as **Figure 1** shows.
3. Test each network cable for proper termination and continuity.

Figure 1. T568-B cable termination




Table 1. T568-B cable termination

Pin	Color
1	White/Orange
2	Orange
3	White/Green
4	Blue
5	White/Blue
6	Green
7	White/Brown
8	Brown

## Procedure 2: Mounting the Orbit 8

To mount the Orbit 8, complete the following procedures:

- Determining the appropriate Orbit 8 for the mounting location
- Positioning the Orbit 8
- Surface mounting the Orbit 8
- **Optional:** Oblique mounting the Orbit 8

### Determining the appropriate Orbit 8 for the location

The type of Orbit 8 that you install in a location depends on the mounting height of the device and the entrance width. If the documents for the scope-of-work or project plan do not specify the type of Orbit 8 lens to install, use the *Orbit 8 Field of View Chart, Reference Guide, 6200-0050-13*, to determine the appropriate Orbit 8 for the entrance. If you are unsure of which Orbit 8 to install, contact your regional ShopperTrak office.

### Positioning the Orbit 8

The following factors influence the placement of the Orbit 8:

- The entrance type.
- The number of Orbit 8 devices that you are installing.

To determine the appropriate position for mounting the Orbit 8, complete the following steps:


1. Identify if the entrance has no doors, doors that swing in, or doors that swing out. Referring to **Table 2**, determine how far from the door to mount the Orbit 8.

Table 2. Specifications for Orbit placement

Location	Orbit placement
<b>No doors</b>	0 in. to 24 in. (0 cm to 61 cm) in from the entrance
<b>Doors that swing out</b>	18 in. to 36 in. (46 cm to 91 cm) in from the doorjamb
<b>Doors that swing in</b>	18 in. to 36 in. (46 cm to 91 cm) in from the furthest in-swing of the doors

2. Measure the entrance, and determine the number of Orbit 8 devices necessary for the location. The entrance width coverage of the Orbit 8 depends on the mounting height. Refer to the *Orbit 8 Field of View Chart, Reference Guide, 6200-0050-13*, to determine the coverage capabilities.
3. To mount one Orbit 8, mark the mounting position in the center of the entrance.
4. **Optional:** To mount more than one Orbit 8, complete the following steps:
  - a. Divide the width of the entrance by the number of Orbit 8 devices that you are installing at the entrance.
  - b. Mark the position for each Orbit 8 so that there is an equal distance from the edges of the entrance to the device, and from the device to the center of the entrance, as **Figure 2** shows.
  - c. Organize the Orbit 8 devices according to unit number, and position them so that unit number 01 is in the position furthest to the left, as you face the entrance from the inside looking out. Position unit number 02 to the right of unit number 01, and unit number 03 to the right of unit number 02. For more information on Orbit 8 unit numbers, see **Orbit 8 unit numbering**.

**Figure 2. Placement and spacing of two Orbit 8 devices**



**Table 3. Placement and spacing of two Orbit 8 devices**

<b>01</b>	Orbit 8 unit number 01
<b>02</b>	Orbit 8 unit number 02
<b>A</b>	Line dividing entrance by the number of Orbit 8 devices
<b>B</b>	Distance from the left wall to the center of the Orbit 8
<b>C</b>	Distance from the right wall to the center of the Orbit 8

**Figure 2** shows an example of the device placement and measurements for a 30 feet or 9.1 meter entrance that requires two Orbit 8 devices. The mounting height for the Orbit 8 devices is 14 feet or 4.3 meters.

**Line A:** Divides the 30-foot or 9.1-meter entrance into two areas of 15 feet or 4.6 meters.

**Line B:** Shows that you mount the center of Orbit unit number 01 at a distance of 7.5 feet or 2.3 meters from the left wall.

**Line C:** Shows that you mount the center of Orbit unit number 02 at a distance of 7.5 feet or 2.3 meters from the right wall.

There is a gap of 15 feet or 4.6 meters between the centers of Orbit unit number 01 and Orbit unit number 02. The distances from the wall to the Orbit 8 devices, and from the Orbit 8 devices to the center of the entrance, are all equal.


## Surface mounting the Orbit 8

**Important:** If you do not have pre-provisioned Orbit 8 devices, provision the devices prior to mounting. For information on provisioning an Orbit 8, refer to *Orbit 8 Provisioning, Setup Guide, 6200-0050-18*.

To surface mount the Orbit 8 to the ceiling using the Orbit 8 mounting bracket, complete the following steps:

1. Determine the appropriate position for the Orbit 8 devices. Follow the guidelines in **Positioning the Orbit 8**.
2. Position the mounting bracket so that the hooks point into the store, as **Figure 3** shows.

**Figure 3. Installing the Orbit 8 mounting bracket**




**Table 4. Installing the Orbit 8 mounting bracket**

<b>A</b>	Entrance or doorway	<b>B</b>	Ceiling
<b>C</b>	Orbit 8 mounting bracket	<b>D</b>	System center line

3. Use the appropriate tools and parts to secure the mounting bracket for each device to the ceiling.
4. Route the Cat 5e or Cat 6 cable through the mounting bracket, as **Figure 4** shows.
5. Connect the Cat 5e or Cat 6 cable to the Orbit 8, as **Figure 5** shows.
6. Mount each Orbit 8 onto the appropriate mounting bracket, by completing the following steps:
  - a. Align the two holes in the Orbit 8 with the two hooks on the mounting bracket, as **Figure 6** shows.
  - b. Slide the Orbit 8 on to the mounting bracket until the hooks click into place.
7. Ensure that each mounted Orbit 8 is stationary, and that wind, a door closing, or any other factor does not cause the Orbit 8 to move or vibrate.
8. **Important:** Ensure that you remove the lens caps from the Orbit 8 device.


**Figure 4. Routing the Cat 5e or Cat 6 cable through the mounting bracket**



**Table 5. Routing the Cat 5e or Cat 6 cable through the mounting bracket**

<b>A</b>	Orbit 8 mounting bracket
<b>B</b>	Hole for routing the cable
<b>C</b>	Cat 5e or Cat 6 cable


**Figure 5. Connecting the Cat 5e or Cat 6 cable to the Orbit 8**



**Table 6. Connecting the Cat 5e or Cat 6 cable to the Orbit 8**

<b>A</b>	Orbit 8
<b>B</b>	Ethernet port
<b>C</b>	Cat 5e or Cat 6 cable

*Figure 6. Mounting the Orbit 8 to the bracket*



*Table 7. Mounting the Orbit 8 to the bracket*

<b>A</b>	Mounting bracket
<b>B</b>	Cat 5e or Cat 6 cable
<b>C</b>	Hook on the mounting bracket
<b>D</b>	Hole in the Orbit 8 device
<b>E</b>	Orbit 8 device

## Optional: Oblique mounting the Orbit 8

**Important:** Oblique mount an Orbit 8 only if ShopperTrak directs you to do so. If it is necessary to oblique mount an Orbit 8, ShopperTrak provides the technician with specific instructions.

## Procedure 3: Connecting the Orbit 8 to the ShopperTrak host

You can connect the Orbit 8 to the ShopperTrak host using the following options:

- A client-installed PoE switch
- A PoE switch that ShopperTrak provides
- A non-PoE switch

### Connecting to a client-installed PoE switch

To connect the Orbit 8 to a client-installed PoE switch, complete the following step:

- Refer to the Installation scope of work document for port-specific information, and connect the Cat 5e or Cat 6 cable from each Orbit 8 to the designated ports on the client PoE switch.

### Connecting to a PoE switch that ShopperTrak provides

To connect an Orbit 8 to a POE switch that ShopperTrak provides, complete the following steps:

1. Follow the instructions that the ShopperTrak Project Manager provides to install the ShopperTrak PoE switch.
2. Refer to the Installation scope of work document for port-specific information. Start with the lowest Orbit 8 unit number, and in ascending order, connect the Cat 5e or Cat 6 cable from each Orbit 8 to the open ports on the PoE switch.

## Connecting to a non-PoE switch

To connect an Orbit 8 to a non-POE switch, complete the following steps:

1. Connect the Cat 5e or Cat 6 cable from each Orbit 8 to the PoE power injector.
2. Refer to the Installation scope of work document for port-specific information, and connect the Ethernet port of each PoE power injector to the designated port or ports on the client network switch.

## Procedure 4: Testing the functionality of the Orbit 8

Green, amber, and red LED patterns indicate the status of the Orbit 8.

**Green light patterns:** Indicate that the device is functioning properly.

**Amber light patterns:** Indicate that the device is processing a task, and to wait for the task to finish.

**Red light patterns:** Indicate that there is a problem that requires troubleshooting.

**Table 8** lists key troubleshooting terms, and their definition or acronym. **Table 9**, **Table 10**, and **Table 11** list the status indicated by each LED pattern, and the actions that the technician or the customer's IT department must take in response to that status. For further assistance, contact your regional Operational Services office.

To test the functionality of an Orbit 8, complete the following steps:

1. Identify the LED pattern on the Orbit 8.
2. Consult the appropriate LED pattern in **Table 9**, **Table 10**, or **Table 11**. Follow the action indicated for the LED status.

**Table 8. Key troubleshooting terms**

Term	Definition or acronym
<b>Lead Orbit 8 device</b>	The single Orbit 8 device at an installation site that is responsible for initiating and receiving data communications to and from the ShopperTrak network for all devices at the site.
<b>Non-lead Orbit 8 device</b>	Any Orbit 8 device at a given site that is not the lead device. Non-lead devices transmit traffic data to the ShopperTrak network through the lead device.
<b>Domain name system</b>	DNS
<b>Dynamic host configuration protocol</b>	DHCP
<b>Secure sockets layer</b>	SSL
<b>User datagram protocol</b>	UDP

**Table 9. Green LED pattern**

LED pattern	Status	Action
<b>Slow blink</b>	Connectivity is successful.	The installation is successful. Prepare the Orbit 8 for configuration.
<b>Solid</b>	All systems are functioning correctly.	No Action. The installation and configuration successfully completed.

**Table 10. Amber LED sequence**

LED pattern	Status	Action
<b>Slow blink</b>	The software is upgrading.	If this lasts longer than 1 minute, contact your regional Operational Services office.
<b>Solid</b>	The device is starting up.	If starting up takes longer than 1 minute, restart the device.  After the second time that you restart the device, if starting up takes longer than 1 minute, contact your regional Operational Services office.

For Red LED patterns, the number of blinks of the red light indicates the specific problem. A two second solid green light separates each full sequence of an LED pattern. The LED pattern repeats until you resolve the problem.

**Table 11. Red LED pattern**

LED pattern	Status	Action	UDP/TCP and port
<b>Solid</b>	Failure to start the device.	After one attempt to restart the device, replace the Orbit 8 device.	
<b>1 blink</b>	Failure of the lead Orbit 8 device to obtain the IP address through DHCP.	Verify with the customer's IT department that a DHCP server is running, and that an IP address is available within the defined DHCP pool.	UDP/TCP 67 and 68
<b>2 blinks</b>	Failure to get the DNS of HTTP time.	Verify that DNS resolution of <a href="https://sitemanager.shoppertrak.com">sitemanager.shoppertrak.com</a> is possible through the customer's IT.	UDP/TCP 53
<b>3 blinks</b>	SSL certificate error.	Verify with the customer's IT department that access is available to the following sites: <a href="https://sitemanager.shoppertrak.com">sitemanager.shoppertrak.com</a> , <a href="https://sm1.shoppertrak.com">sm1.shoppertrak.com</a> , <a href="https://sm2.shoppertrak.com">sm2.shoppertrak.com</a> , <a href="https://de1.shoppertrak.com">de1.shoppertrak.com</a> , <a href="https://de2.shoppertrak.com">de2.shoppertrak.com</a> , <a href="https://ocsp.starfieldtech.com">ocsp.starfieldtech.com</a> , or <a href="https://ocsp.godaddy.com">ocsp.godaddy.com</a>	TCP 443 or 80
<b>4 blinks</b>	Failure to connect to SiteManager on port 443.	Verify with the customer's IT department that access is available to the following sites: <a href="https://sitemanager.shoppertrak.com">sitemanager.shoppertrak.com</a> , <a href="https://sm1.shoppertrak.com">sm1.shoppertrak.com</a> , <a href="https://sm2.shoppertrak.com">sm2.shoppertrak.com</a> , <a href="https://de1.shoppertrak.com">de1.shoppertrak.com</a> , <a href="https://de2.shoppertrak.com">de2.shoppertrak.com</a> , <a href="https://ocsp.godaddy.com">ocsp.godaddy.com</a> , and <a href="https://ocsp.starfieldtech.com">ocsp.starfieldtech.com</a> .	TCP 443
<b>5 blinks</b>	Failure to communicate with HTTP time.	Verify with the customer's IT department that access is available to the following sites: <a href="https://sitemanager.shoppertrak.com">sitemanager.shoppertrak.com</a> , <a href="https://sm1.shoppertrak.com">sm1.shoppertrak.com</a> , <a href="https://sm2.shoppertrak.com">sm2.shoppertrak.com</a> , <a href="https://de1.shoppertrak.com">de1.shoppertrak.com</a> , <a href="https://de2.shoppertrak.com">de2.shoppertrak.com</a> , <a href="https://ocsp.godaddy.com">ocsp.godaddy.com</a> , and <a href="https://ocsp.starfieldtech.com">ocsp.starfieldtech.com</a> .	TCP 80
<b>6 blinks</b>	Failure of a non-lead Orbit 8 device to obtain the IP address through DHCP from the lead Orbit 8 device.	Verify that the non-lead Orbit 8 devices are on the same network (VLAN) as the lead Orbit 8 device.	UDP/TCP 67 and 68
<b>7 blinks</b>	Failure to get DNS of the SiteManager	Verify with the customer's IT department that DNS resolution of <a href="https://sitemanager.shoppertrak.com">sitemanager.shoppertrak.com</a> , <a href="https://sm1.shoppertrak.com">sm1.shoppertrak.com</a> , and <a href="https://sm2.shoppertrak.com">sm2.shoppertrak.com</a> is possible.	UDP/TCP 53
<b>8 blinks</b>	Failure to get DNS for GoDaddy.	Verify with the customer's IT department that DNS resolution of <a href="https://ocsp.shoppertrak.com">ocsp.shoppertrak.com</a> and <a href="https://ocsp.starfieldtech.com">ocsp.starfieldtech.com</a> is possible.	UDP/TCP 53

## Procedure 5: Preparing the Orbit 8 for configuration


After you verify successful connectivity for each Orbit 8, prepare the location for the remote configuration of the devices.

**Important:** Ensure that you removed the lens caps from the Orbit 8.

To prepare the Orbit 8 for configuration, complete the following steps:

1. Place the black and white calibration strip directly under each Orbit 8, parallel with the entryway, as **Figure 7** shows.
2. **Optional:** In locations where you are installing more than one Orbit 8, place an additional calibration strip in a vertical position at the center point between the Orbit 8 that is being configured and the Orbit 8 to the right, as **Figure 8** shows.
3. Ensure that the calibration strip is fully stretched out, and flat on the floor.
4. Contact your regional ShopperTrak office to begin the configuration of the Orbit 8 devices.


*Figure 7. Placing the calibration strip*



*Table 12. Placing the calibration strip*

<b>A</b>	Orbit 8	<b>B</b>	Calibration Strip
----------	---------	----------	-------------------

*Figure 8. Placing the vertical calibration strip*



*Table 13. Placing the vertical calibration strip*

<b>A</b>	Orbit 8 unit 01	<b>B</b>	Horizontal calibration strip
<b>C</b>	Orbit 8 unit 02	<b>D</b>	Vertical calibration strip

## Procedure 6: Testing the accuracy of the Orbit 8


After the configuration of the Orbit 8 devices, ShopperTrak conducts an accuracy test for each Orbit 8 in the location. A member of the ShopperTrak team contacts you to conduct the accuracy test.

To complete the accuracy test, you walk completely in and out of the entrance 10 to 20 times, following various patterns that you can see in **Figure 9** to **Figure 12**. When completing the accuracy test, do not always walk directly through the center of the entrance. A second person is necessary to complete some of the patterns.

### Pattern 1

Walk completely in and out of the entrance.

*Figure 9. Valid entrance and exit with one person*




*Table 14. Valid entrance and exit with one person*

1	Valid entrance
2	Valid exit
A	Store interior
B	Store exterior
C	Person 1 pathway

### Pattern 2

Walk to the entrance as if you are going to exit, but at the threshold turn around, and walk back in to the store.

*Figure 10. Invalid exit with one person*




*Table 15. Invalid exit with one person*

A	Store interior
B	Store exterior
C	Person 1 pathway

### Pattern 3

With a gap of approximately 16 inches or 41 centimeters between you and a store employee, walk side-by-side in and out of the entrance.

**Figure 11. Side-by-side entrance and exit with two people**




**Table 16. Side-by-side entrance and exit with two people**

1	Valid side-by-side entrance
2	Valid side-by-side exit
A	Store interior
B	Store exterior
C	Person 1 pathway
D	Person 2 pathway
E	16 in. or 41 cm gap

### Pattern 4

With a gap of approximately 16 inches or 41 centimeters between you and a store employee, walk in single file in and out of the entrance.

**Figure 12. Single file entrance and exit with two people**



**Table 17. Single file entrance and exit with two people**

1	Valid single file entrance
2	Valid single file exit
A	Store interior
B	Store exterior
C	Person 1 pathway
D	Person 2 pathway
E	16 in. or 41 cm gap

## Appendix A: Technical specifications

### Physical

*Table 18. Physical*

Dimensions	3.5 in. x 6.7 in. x 2 in. (8.9 cm x 17 cm x 5 cm)
Weight	11.2 oz (318 g)
Material	High impact plastic
Color	White

### Environmental

*Table 19. Environmental*

Relative humidity	5% to 90% non-condensing
Operating temperature	0°C to 50°C (32°F to 122°F)
Scene mean ambient lighting	100 lx to 150,000 lx

### Electrical

*Table 20. Communications*

Cabling	PoE IEEE 802.3af
Ethernet	10/100 Base T

*Table 21. Auxiliary communications*

Auxiliary port	USB 2.0, for extensibility
----------------	----------------------------

**Important:** The USB 2.0 port is currently inactive on the Orbit 8 device. Do not connect, or plug any device into the USB 2.0 port.

*Table 22. Cable*

Cabling	Cat 5, Cat 5e, or Cat 6
Cabling length	Up to 330 ft (100 m) to a single device, extended with PoE repeaters

*Table 23. Power*

Power cable	48 V PoE 802.3af
Power consumption	3.75 W typical

## Appendix B: Declarations

Regulatory Model: DDORB1801

### Regulatory information

EMC	47 CFR, Part 15 ICES-003 EN 55032 EN 55024
Safety	UL/EN 60950-1 CSA C22.2.60950-1 EN 62368-1

**FCC COMPLIANCE:** This equipment complies with Part 15 of the FCC rules for intentional radiators and Class A digital devices when installed and used in accordance with the instruction manual. Following these rules provides reasonable protection against harmful interference from equipment operated in a commercial area. This equipment should not be installed in a residential area as it can radiate radio frequency energy that could interfere with radio communications, a situation the user would have to fix at their own expense.

Canada ICES-003 (A) / NMB-003 (A)



**EQUIPMENT MODIFICATION CAUTION:** Equipment changes or modification not expressly approved by ShopperTrak, RCT Corporation, the party responsible for FCC compliance, could void the user's authority to operate the equipment and could create a hazardous condition.

See **Introduction** on page 3.

### Nondisclosure statement

All information in this document is the sole property of ShopperTrak. This document is for the use of ShopperTrak field technicians, and internal ShopperTrak use only. Any unauthorized changes to this document are strictly prohibited.

This document and the information contained herein shall not be copied or shared with other parties, including, but not limited to the following groups:

- ShopperTrak clients
- Store personnel
- Other ShopperTrak or client vendors
- Present or future ShopperTrak competitors

It is strictly prohibited to share or provide a third party with any information contained herein, unless authorized by ShopperTrak.



## Other declarations

ShopperTrak and the ShopperTrak logo are trademarks of ShopperTrak RCT Corporation. All information in this document is the sole property of ShopperTrak RCT Corporation ("ShopperTrak") and constitutes its confidential information.

No part of this document may be reproduced, stored in any retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written consent of ShopperTrak.

The content of this document is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by ShopperTrak. While reasonable efforts have been made to ensure that the information in this document is complete and accurate at the time of printing, ShopperTrak assumes no liability for any errors. ShopperTrak reserves the right to make changes and corrections to the information in this document without the obligation to notify any person or organization of such changes. Product offerings and specifications described in this document are subject to change without notice. Products may not contain all features or functions listed in this document.

# Installation checklist

To complete the installation, ensure that you perform each of the following steps:

## Pre-installation

- ☐ Verify that you have the necessary tools and equipment for the installation.

## Installation

- ☐ Prepare the cable for the Orbit 8.
- ☐ Determine the appropriate Orbit 8 for the location.
- ☐ Determine the appropriate position for each Orbit 8.
- ☐ Surface mount the Orbit 8.
- ☐ Remove the lens caps from the Orbit 8.
- ☐ Connect each Orbit 8 device to the network switch.

## Post-installation

- ☐ Ensure that the LED on each Orbit 8 device displays a solid green color.
- ☐ Place the appropriate number of calibration strips in the entrance for the number of Orbit 8 devices.
- ☐ Perform the walk through patterns for each Orbit 8 device.

## ShopperTrak - Equipment Return Form

**Instructions:** Please fill out this form upon completion of the network installation for unused/defective Interface gear that needs to be returned. You will be responsible for completing the following:

1. Determine if there are any unused or defective items that need to be returned.
2. Record the make, model and serial number of each return device in the EQUIPMENT INFORMATION section below.
3. Record the equipment type in the EQUIPMENT INFORMATION section below. "Defective" refers to an out-of-box failure for customer supplied equipment. "Unused" refers to gear that was shipped to site by the customer but was not used to successfully convert the site (this should be *extremely* rare).
4. Securely pack the return CPE in the box the new equipment came in and upload a photo of the equipment in the box before sealing to myESP.
5. Explain to the Manager on Duty (MOD) that you are leaving the equipment onsite for a FedEx call tag dispatch. Advise them FedEx will be onsite in 1-5 business day with a label to retrieve the equipment. All the MOD has to do is hand them the box.
6. Seal the box and affix the "hold for FedEx" label to the box as a reminder of the process to the MOD.
7. Fill out the RETURN CONFIRMATION section and ask the MOD to sign the equipment return form to indicate acceptance and understanding of the equipment return process.

### EQUIPMENT INFORMATION

Make/Model	Serial/ID No.	Equipment Type
		Defective   Unused
		Defective   Unused
		Defective   Unused
		Defective   Unused
		Defective   Unused
		Defective   Unused
		Defective   Unused
		Defective   Unused
		Defective   Unused
		Defective   Unused

### RETURN CONFIRMATION

Today's Date:	
SR Number	
Installer Name	
Installer Signature	

MOD Name	
MOD Signature	



## ORBIT MOUNTING VIDEOS

Below are links to instructional videos for all of the different orbit mounting solutions for ShopperTrak. The specific mounting type for your site will be indicated on your SR.

Surface Mount: <http://bit.ly/Surface5>

Toggle Mount: <http://bit.ly/Toggle5>

Post Mount: <http://bit.ly/Post5>

Flush Mount: <http://bit.ly/Flush5>

Conduit Mount: <http://bit.ly/ConduitDrop>

Angle Mount: <http://bit.ly/AngleMount5>

Surface Mount Orbit 8: <http://bit.ly/Surface8>

Flush Mount Orbit 8: <http://bit.ly/Flush8>