

## VENDOR W/O # 129273-02

Service Date 9/20/21 02:00 PM Client PO # Priority Regular Order Type Rollout SN Task # PRJTASK7798176

Telaid 13 West Main Street Niantic, CT 06357 Phone # 800-205-5556 Fax #

Contact Information Service Desk (866) 566-4295

SERVICE LOCATION TARGET - Loc # T0289 - CERRITOS, CA 20200 BLOOMFIELD AVE null CERRITOS, CA 90703 Phone # Fax # VENDOR # 380129 Intellicomm 1048 Chase Creek Ct Lawrenceville, GA 30044 Phone # 405-802-1262 Fax #

SERVICE DESCRIPTION Cabling with Copper test

Vendor DSD (Direct Store Delivery) Kiosk ELO Install

REVISIT- Deliverable needs to be uploaded with the correct location of scanner.

Technician to provide cabling, and equipment installation services for the 2021 Direct Store Delivery (DSD) Vendor Device Project .Each site will require one new CAT6A cable run to the nearest IDF/MDF. This cable will be terminated in the backroom at a Target PML survey proposed location. PML will have predetermined location. Technician is responsible for installing cable conduit where required for low voltage cabling.

Call into Telaid Service 866-566-4295 to check in and out

Please make sure you have all the appropriate paperwork and tools with you which includes:

- Telaid work order
- Target Letter of Authorization
- Elo 10" Series 4 Vendor DSD Kiosk Install Guide
- Telaid shirt and badge
- Cell phone or tablet with ability to send photos from site

Material Tech will need to provide Cat 6A White Non Plenum Cable 1 PORT SURFCE MNT BOX IVRY ATLAS-X1 CAT 6A UTP CONNECTOR Beam clamps or Jhooks VELCRO White and Tywraps for cable management Cat 6a Slimline 5' Blue Patch cable

Perform Scope specific labor for this store:

- Inventory material
- Report immediately to Telaid if any of the new equipment is missing or broken
- Locate lift that has been rented on your behalf to complete cabling
- Install 1 Cat6 cable from the DSD Kiosk location to the nearest IDF/MDF
- Install DSD Kiosk and bracket "portrait" to the wall
- Call into Telaid Deployment Support 1-866-566-4295 to ensure validations are complete

Equipment included in the box that was shipped to site.

1-ELO I Series 4.0 Enterprise Plus Kiosk 10" w/ ADA Adapter Included

1-ELO-KIT-POE-ADAPTER-4.0

L1-.ELO-KIT., 2DBCR, USB, N3680.....



VENDOR W/O # 129273-02

Telaid 13 West Main Street Niantic, CT 06357 Phone # 800-205-5556 Fax #

Contact Information Service Desk (866) 566-4295 1-WALL MOUNT, ELO 10 INCH AA102 ANGLED WALL MOUNT, ELO INCH AA102, SERIES 4.0, REV A (04/15/2021) 1- Cat 6A SlimLine Boot Patch Cord, 3 feet, Blue Tech will install one pre-configured ELO Device at the new data jack. Tech is required to call into Telaid Deployment support 866-566-4295 before he leaves to correctly validate the Vendor DSD Kiosk has been validated on the Target network. Photo Deliverables required : - Photo of installed kiosk in a "portrait" mounted position - Photo of cable run teminated to IDF

- Photo of signed work order

- Photo of kiosk serial number shown on tablet

- Photo of Marked Print

Doc Туре	Required Count	Description
Deliverable 1	1	Photo of Installed Kiosk in a "Potrait" Mounted Position
Deliverable 2	1	Photo of Cable Run Terminated to IDF
Deliverable 3	1	Photo of Signed Work Order
Deliverable 4	1	Photo of Print marked with location of tablet install
Deliverable 5	1	Photo of ELO Tablet Serial Number

Telaid 13 West Main Street Niantic, CT 06357 Phone # 800-205-5556 Fax #	SIGN OFF SHEET VENDOR W/O # 129273-02	Service Date 9/20/21 02:00 PM Client PO # Priority Regular Order Type Rollout SN Task # PRJTASK7798176			
SERVICE LOCATION TARGET - Loc # T0289 - CERRITOS, CA 20200 BLOOMFIELD AVE null CERRITOS, CA 90703 Phone # Fax #		IVR Pin # 80352598			
SERVICE DESCRIPTION					
Cabling with Copper test	test Store Delivery) Kiosk ELO Install needs to be uploaded with the correct location of scanner. e cabling, and equipment installation services for the 2021 Direct Store Delivery (DSD) et .Each site will require one new CAT6A cable run to the nearest IDF/MDF. This cable will backroom at a Target PML survey proposed location. PML will have predetermined				
Vendor DSD (Direct Store Delivery) K	iosk ELO Install				
REVISIT- Deliverable needs to be uplo	paded with the correct location	n of scanner.			
Technician to provide cabling, and equipment installation services for the 2021 Direct Store Delivery (DSD) Vendor Device Project .Each site will require one new CAT6A cable run to the nearest IDF/MDF. This cable will be terminated in the backroom at a Target PML survey proposed location. PML will have predetermined location. Technician is responsible for installing cable conduit where required for low voltage cabling. Call into Telaid Service 866-566-4295 to check in and out Please make sure you have all the appropriate paperwork and tools with you which includes:					
<ul> <li>Target Letter of Authorization</li> <li>Elo 10" Series 4 Vendor DSD</li> <li>Telaid shirt and badge</li> </ul>	Telaid work order Target Letter of Authorization Elo 10" Series 4 Vendor DSD Kiosk Install Guide				
Material Tech will need to provide Cat 6A White Non Plenum Cable 1 PORT SURFCE MNT BOX IVRY ATLAS-X1 CAT 6A UTP CONNECTOR Beam clamps or Jhooks	10" Series 4 Vendor DSD Kiosk Install Guide aid shirt and badge phone or tablet with ability to send photos from site th will need to provide e Non Plenum Cable PFCE MNT BOX IVRY AT 6A UTP CONNECTOR os or Jhooks ite and Tywraps for cable management line 5' Blue Patch cable				
<ul> <li>Locate lift that has been rent</li> <li>Install 1 Cat6 cable from the</li> <li>Install DSD Kiosk and bracket</li> </ul>	if any of the new equipment is ed on your behalf to complete DSD Kiosk location to the nea t "portrait" to the wall Support 1-866-566-4295 to er	e cabling			
1-ELO I Series 4.0 Enterprise Plus Kiosk 10" w/ ADA Adapter Included -1-ELO-KIT-POE-ADAPTER-4:0					

Print Date: 09/14/21 ids

<ul> <li>1-WALL MOUNT, ELO 10 INCH AA102 ANGLED WALL MOUNT, ELO INCH AA102, SERIES 4.0, REV A (04/15/202 1- Cat 6A SlimLine Boot Patch Cord, 3 feet, Blue</li> <li>Tech will install one pre-configured ELO Device at the new data jack.</li> <li>Tech is required to call into Telaid Deployment support 866-566-4295 before he leaves to correctly validate the Vendor DSD Kiosk has been validated on the Target network.</li> <li>Photo Deliverables required : <ul> <li>Photo of installed kiosk in a "portrait" mounted position</li> <li>Photo of cable run teminated to IDF</li> <li>Photo of signed work order</li> <li>Photo of kiosk serial number shown on tablet</li> </ul> </li> </ul>	YENDOR W/O #       129273-02       Client PO #         Yiante, CT 06357       Phone # 800-205-5556       Fax #       Fax #         Yendor # 800-205-5556       Fax #       Fax #       PRJTASK7798176         Yendor # 800-205-5556       Fax #       Fax #       PRJTASK7798176         Yendor # 800-205-5556       Fax #       Fax #       PRJTASK7798176         Yendor # 800-205-5556       Fax #       PRJTASK7798176         Yendor # 800-205-556       Fax #       PRJTASK7798176         Yendor # 1010 INCH AA102 ANGLED WALL MOUNT, ELO INCH AA102, SERIES 4.0, REV A (04/15/202       Yendor #         Yendor # 1010 INCH AA102 ANGLED WALL MOUNT, ELO INCH AA102, SERIES 4.0, REV A (04/15/202       Yendor #         Yendor DSD Klosk has been validated on the Target network.       Photo Deliverables required to IDF         Photo of installed klosk in a "portrait" mounted position       Photo of klosk serial number shown on tab			
1- ELO-KIT, 2DBCR, USB, N3680     1-WALL MOUNT, ELO 10 INCH AA102 ANGLED WALL MOUNT, ELO INCH AA102, SERIES 4.0, REV A (04/15/202     1- Cat 6A SlimLine Boot Patch Cord, 3 feet, Blue     Tech will install one pre-configured ELO Device at the new data jack.     Tech is required to call into Telaid Deployment support 866-566-4295 before he leaves to correctly validate     the Vendor DSD Klosk has been validated on the Target network.     Photo Deliverables required :         Photo of installed klosk in a "portrait" mounted position         Photo of cable run teminated to IDF         Photo of signed work order         Photo of klosk serial number shown on tablet         Photo of Marked Print.         Store Manager's Signature         Print Name         Date	1- ELO-KIT, 2DBCR, USB, N3680     1-WALL MOUNT, ELO 10 INCH AA102 ANGLED WALL MOUNT, ELO INCH AA102, SERIES 4.0, REV A (04/15/202     1- Cat 6A SlimLine Boot Patch Cord, 3 feet, Blue     Tech will install one pre-configured ELO Device at the new data jack.     Tech is required to call into Telaid Deployment support 866-566-4295 before he leaves to correctly validate     the Vendor DSD Klosk has been validated on the Target network.     Photo Deliverables required :         Photo of installed klosk in a "portrait" mounted position         Photo of cable run teminated to IDF         Photo of signed work order         Photo of klosk serial number shown on tablet         Photo of Marked Print.         Store Manager's Signature         Print Name         Date	Telaid 13 West Main Street Niantic, CT 06357	VENDOR W/O #	Client PO # Priority Regular Order Type Rollout
Tech is required to call into Telaid Deployment support 866-566-4295 before he leaves to correctly validate the Vendor DSD Kiosk has been validated on the Target network.         Photo Deliverables required :         - Photo of installed kiosk in a "portrait" mounted position         - Photo of cable run teminated to IDF         - Photo of signed work order         - Photo of kiosk serial number shown on tablet         - Photo of Marked Print         Store Manager's Signature         Print Name         Date	Tech is required to call into Telaid Deployment support 866-566-4295 before he leaves to correctly validate the Vendor DSD Kiosk has been validated on the Target network.         Photo Deliverables required :         - Photo of installed kiosk in a "portrait" mounted position         - Photo of cable run teminated to IDF         - Photo of signed work order         - Photo of kiosk serial number shown on tablet         - Photo of Marked Print         Store Manager's Signature         Print Name	1-WALL MOUNT, ELO 10 INCH AA10	2 ANGLED WALL MOUNT, ELO I	
the Vendor DSD Kiosk has been validated on the Target network.         Photo Deliverables required :         - Photo of installed kiosk in a "portrait" mounted position         - Photo of cable run teminated to IDF         - Photo of signed work order         - Photo of kiosk serial number shown on tablet         - Photo of Marked Print         Store Manager's Signature         Print Name         Date	the Vendor DSD Kiosk has been validated on the Target network.         Photo Deliverables required :         - Photo of installed kiosk in a "portrait" mounted position         - Photo of cable run teminated to IDF         - Photo of signed work order         - Photo of kiosk serial number shown on tablet         - Photo of Marked Print         Store Manager's Signature         Print Name         Date	Tech will install one pre-configured	ELO Device at the new data jac	k.
Photo of installed kiosk in a "portrait" mounted position     Photo of cable run teminated to IDF     Photo of signed work order     Photo of kiosk serial number shown on tablet     Photo of Marked Print     Store Manager's Signature  Print Name Date Date	Photo of installed kiosk in a "portrait" mounted position     Photo of cable run teminated to IDF     Photo of signed work order     Photo of kiosk serial number shown on tablet     Photo of Marked Print     Store Manager's Signature     Print Name     Date			295 before he leaves to correctly validate
Print Name Date	Print Name Date	<ul> <li>Photo of installed kiosk in a "portr</li> <li>Photo of cable run teminated to I</li> <li>Photo of signed work order</li> <li>Photo of kiosk serial number show</li> </ul>	DF vn on tablet	
		Store Manager's Signature		
Time In Time Out	Time In Time Out	Print Name	Date	
		Time In	Time Out	